 Status 	 Correlation Date 	 Area Name 	Legend text notes
-		·	103/25/2004
 	12:00:00 AM 	•	11/16/2004 - New export to soil data warehouse to include OH rule names in the new standard format, and to include results of corrected water content calculation. Jeff Glanville 11/16/2004
 	 		12/08/2006 - Includes data required by National Bulletin 430-5-7. Jeff Glanville
 	 		05/20/2009 - Edited Kw and/or Kf in the following horizons to correct Kw > Kf errors:
 	 	 	Tr - Treaty - H2
 	 	 	Jeff Glanville
 	 		08/25/2011 - Added new map units as a result of MLRA recorrelation activities. New map units are
 	 	 	Gwd5C2 - Glynwood clay loam, 6 to 12 percent slopes, eroded Gwg5C2 - Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded Gwg5C3 - Glynwood clay loam, 6 to 12 percent slopes, severely leroded Gwf5C3 - Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded Missa - Minster silty clay loam, 0 to 1 percent slopes Minsa - Minster silty clay loam, till substratum, 0 to 1 percent slopes
 	 	İ	GnC2 - Glynwood silt loam, 6 to 12 percent slopes, eroded GyC3 - Glynwood clay loam, 6 to 12 percent slopes, severely eroded Mt - Montgomery silty clay
 	 	 	Glynwood and Morley map units on C slopes were investigated across MLRA 111B in Ohio and Indiana. Montgomery map units were investigated across MLRA 111B in Ohio and Indiana. Symbols for new map units are the same in all Ohio counties. One DMU is used for each new map unit in all counties.
 	 		Jeff Glanville
 	 	 	FY2014 - Added 5 new map units as a result of sdjr projects: Ble1A1 - Blount silt loam, end moraine, 0 to 2 percent slopes Ble1B1 - Blount silt loam, end moraine, 2 to 4 percent slopes Blg1A1 - Blount silt loam, ground moraine, 0 to 2 percent slopes Blg1B1 - Blount silt loam, ground moraine, 2 to 4 percent slopes MnC3 - Miamian clay loam, shallow to dense till substratum, 6 to 12 percent slopes, severely eroded
 	 	 	Deleted 3 map units as a result of sdjr projects: BnA - Blount silt loam, 0 to 2 percent slopes BnB - Blount silt loam, 2 to 6 percent slopes MnC3 - Miamian clay loam, 6 to 12 percent slopes, severely eroded
 	 	 	Replaced DMU's for 3 map units as a result of sdjr projects: CeB - Celina silt loam, 2 to 6 percent slopes MmB - Miamian silt loam, 2 to 6 percent slopes

|Jeff Glanville 11-06-2013 |for FY2015 - Added 4 map units as a result of MLRA projects: |GwelB1 - Glynwood silt loam, end moraine, 2 to 6 percent slopes|Gwe1B2 - Glynwood silt loam, end moraine, 2 to 6 percent slopes, |eroded |Gwg1B1 - Glynwood silt loam, ground moraine, 2 to 6 percent slopes |GwG1B2 - Glynwood silt loam, ground moraine, 2 to 6 percent |slopes, eroded |The following map units were deleted: |GnB - Glynwood silt loam, 2 to 6 percent slopes |GnB2 - Glynwood silt loam, 2 to 6 percent slopes, eroded |Glynwood and Morley soils in Ohio and Indiana were investigated. |Symbols for new map units are the same in all Ohio counties. One |DMU is used for new map units in all counties. |Added new map units as a result of sdjr projects: |Br - Brookston silty clay loam, fine texture, 0 to 2 percent slopes| $|{\tt CrA}$ - Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent |slopes |CrB - Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent |slopes |OcA - Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent |slopes |OcB - Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent |slopes |The following map units were deleted: |Br - Brookston silty clay loam |CrA - Crosby silt loam, 0 to 2 percent slopes |CrB - Crosby silt loam, 2 to 6 percent slopes $| \mbox{OcA} - \mbox{Ockley silt loam, 0 to 2 percent slopes}$ |OcB - Ockley silt loam, 2 to 6 percent slopes |Also includes calculated values for the 8 stored interpretations, |as required by National Bulletin 430-14-3. |Jeff Glanville 09-03-2014